




SOLARIS

LAYOUTS C66

C6603

| Ensuite & Queen Bed | |
|--------------------------------------|--------|
| Bed Dimensions - 1900mm L x 1500mm W | |
| ATM | 2750kg |
| Tare | 2250kg |
| Payload | 500kg |
| Towball Mass Tare | 205kg |


Spare wheel bolted to rear underside of van. NZ models may vary.



C6607

| Ensuite & Queen Bed | |
|--------------------------------------|--------|
| Bed Dimensions - 1900mm L x 1500mm W | |
| ATM | 2750kg |
| Tare | 2250kg |
| Payload | 500kg |
| Towball Mass Tare | 205kg |


Spare wheel bolted to rear underside of van. NZ models may vary.



C6609

| Family Van - Ensuite, Queen Bed & Bunks | |
|--|--------|
| Bed Dimensions - 1900mm L x 1500mm W | |
| Bunk Bed Dimensions - 1870mm L x 800mm W | |
| ATM | 2750kg |
| Tare | 2250kg |
| Payload | 500kg |
| Towball Mass Tare | 205kg |

Spare wheel bolted to rear underside of van. NZ models may vary.





FEATURES AND OPTIONS

| Bedding & Seating | C66 |
|---|------|
| Bed Double - 1500mm wide | std* |
| Bed Twin Single - Converts to Double | std* |
| Double Bunk | std* |
| Triple Bunk | opt* |
| Beds - Liftup with Storage & Orthopaedic Slats | std* |
| Mattress - Innersprings with Pillowtop | opt |
| Mattress - Innersprings | std |
| Cafe Seating with Footrests - Fabric | opt |
| Dinette Seating with Footrests - Fabric | opt |
| L Shape Lounge with Footrests - Fabric | opt |
| Cafe Seating with Footrests - Leather | std |
| Dinette Seating with Footrests - Leather | opt |
| L Shape Lounge with Footrests - Leather | opt |
| Ensuite | |
| Privacy Dividers (Ensuite) | std |
| Shower - with Built in Seat & Exhaust Fan | std |
| Toilet - Cassette | std |
| Towel Hooks in Ensuite | std |
| Vanity | std |
| Appliances | |
| Air Conditioning - Roof Mounted | std |
| Cooktop - 3 Gas Burner, 1 240v electric and grill | std |
| Fan Sirrocco 807CA 12V Black | opt |
| Fridge- Thetford 185 litre | std |
| Fridge Upgrade - Compressor 150 litres | opt |
| Hot Water Service - 22lt Dual Gas/240v Operation | std |
| Microwave | std |
| Oven Upgrade | opt |
| Oven Fan Forced Upgrade | opt |
| Rangehood - 12V LED with twin fans | std |
| Stereo | std |
| External Speakers | opt |
| TV Aerial Manual | std |
| TV/DVD - LED 12V (18.5inch) | std |
| DVD Player Bunk-10.1" F/D Monitor-2 Sets H/Phones | opt* |
| Washing Machine | std |
| Water Pump - 12v | std |

| Interior General | C66 |
|--|-----|
| BM Pro Control Panel - Tank / Battery 12V/240V Management System | std |
| Battery - Deep Cycle - Fitted by Dealer | std |
| Crockery Set | std |
| Tumbler Set | std |
| Curtains | std |
| Floor Vinyl - Durable | std |
| Grab handle with LED light | std |
| Hatch Roof 400mm x 400mm (bathroom) | std |
| Hatch Roof 700mm x 500mm (living) | std |
| Laundry Cupboard | std |
| Lights - Ceiling 12V LED | std |
| Lights - Reading 12V at Bed | std |
| Lights - Robe | std |
| Lights - LED Strip - Underside Selected Over Heads | std |
| Lights - Kicker Plate | std |
| Pelmets - Integrated into Furniture | std |
| Power Point Twin 240v Titanium - Additional | opt |
| Sink - Stainless Steel Large bowl with Chop 'N' Serve board | std |
| Splashbacks | std |
| Storage Over Heads | std |
| Storage Under Seats | std |
| Tap Mains Pressure to Kitchen Sink and Vanity | std |
| USB Points Twin | std |
| USB Points Twin - Additional | opt |
| TV Outlet Interior | std |
| Water Filtration System to Sink | opt |
| Windows - Double Glazed with in Built Roller Blinds & Insect Screens | std |
| Exterior | |
| Awning Rollout | std |
| Awning - Rollout with LED Strip Light | opt |
| BBQ - Slideout | opt |
| Kitchen - Slideout | opt |
| Bike Racks | opt |
| Boot - Front (Gas Strut Assisted) | std |
| Coupling Standard | std |
| Coupling Anti Sway | opt |
| Drop jacks AL-KO | std |
| Gas Bottles - Fixed (1 x 4.5kg) | std |
| Gas Bottles - Fixed (1 x 9kg) | opt |
| Gas Bottle 4.5 kg (additional) | opt |
| Gas Bottle 9 kg (additional) | opt |
| Hatch - Side | std |

| Exterior continued | C66 |
|--|-----|
| Jack - For Spare Wheel | std |
| Jockey Wheel | std |
| Light - LED Annexe | std |
| Light - LED Door handle | std |
| Mudflaps | std |
| Pebbleguard Stone Protection at Front | std |
| Plug Car 12 pin | std |
| Power - 12V Weather Proof Cig Socket | std |
| Power - 240V Weather Proof Outlet | std |
| Shower - External | opt |
| Solar System - 125 watt | std |
| Solar System - 125 watt (extra including second battery box) | opt |
| Step - Electric | std |
| Table - External Foldout | std |
| TV Port & 12v Socket Exterior | std |
| Water Tap External (works off mains pressure and water tank) | std |
| Water Tank 80 litre | x 2 |
| Water Tank 80 litre - Additional | opt |
| Water Tank Grey 80 litre | opt |
| Water tank filler / mains pressure inlet - lockable | std |
| Wheel Boxes - Durable One Piece | std |
| Window Shield - Front with Gas Assisted Struts | std |
| Structure & Running Gear | |
| Optima Chassis - bolt together construction | std |
| Integra Floor - 38mm composite with high density foam core | std |
| Duratherm Walls - 25mm composite with high density foam core | std |
| Tuffshell Ends - ABS structure | std |
| Uniskin Roof - 29mm composite with high density foam core | std |
| Trailing Arm Independent Suspension - Single Shock | std |
| Wheels - Alloy 16" with radial tyres 225/75/16 | std |
| Wheel Stud Pattern - Toyota Land Cruiser 6 Stud | std |
| Wheel - Alloy Spare Underslung | std |
| Brakes - 10" Drum Electric | std |
| Safety | |
| Brake Safe | std |
| Door External - Lockable with Security Screen | std |
| ESC - AL-KO Electronic Stability Control device | std |
| Fire Extinguisher | std |
| Lights - Side LED Running | std |
| Reverse Camera Complete Kit | opt |
| Smoke Alarm | std |

Note: an additional fresh water tank or grey water tank can be fitted, not both

* available on selected models



TECHNICAL SPECIFICATIONS

| | C66 Series | |
|----------------------|------------|-------|
| | mm | ft |
| body length –ext. | 6622 | 21'9" |
| body length –int. | 5954 | 19'6" |
| overall length –ext. | 7726 | 25'5" |
| overallwidth –ext. | 2460 | 8'1" |
| overallwidth –int. | 2250 | 7'5" |
| overall height –ext. | 2875 | 9'6" |
| height –int. | 1950 | 6'5" |
| ground clearance | 355 | 1'2" |
| fording depth | 650 | 2'1" |

Your Authorised Jurgens Dealer:



Proudly built in Pakenham, Victoria, Australia

All dimensions are approximate. All weights have a +/- tolerance and vary depending on components added to or removed from van. Specifications and aesthetics subject to change without notice. Pictures are illustrative only and may show optional extras.